BALDER

etac

Balder

Power wheelchairs

Balder power wheelchairs let you reach a little higher

A power wheelchair has to fulfill many needs. It must be able to move quickly and easily, both outside and indoors. It must be convenient and safe. And above all, it must provide its user with freedom and independence.

Balder power wheelchairs give their users all of these. There are three models in the series. Balder Finesse and Junior are front-wheel driven power wheelchairs, which also come with a standing function option. Balder Liberty is a rear-wheel driven power wheelchair designed for rugged outdoor use with no compromises in comfort or functionality. All models have the unique seat lift that gives a whole new meaning to the expression "freedom of movement."

So why compromise? Balder power wheelchairs let you reach a little higher.

Contents

	Page
Balder Finesse	4
Balder Junior	8
Balder Liberty	12
Options	16
Accessories	20

Balder Finesse

A flexible power wheelchair for those who want to reach farther

The Balder Finesse's low seat makes it easy to slide your legs under the table.

- Seat height adjustment range: 15–32 in/38–82 cm
- Lift and tilt functions with variable settings
- Easy to maneuver
- Simple car-docking system
- Full driveability with standing function option
- Adjustable with several seat and back cushions

Seat lift provides maximum range of movement

The Balder Finesse is a front-wheel driven power wheelchair that's flexible and simple to control indoors, and easily clears obstacles on streets or in parks.

Thanks to the unique seat lift, users can both reach objects on high shelves and slide their legs under the table when eating. At the same time, the many settings and the modular system makes this a power wheelchair that can be adjusted perfectly to every user's needs. In short, the Balder Finesse combines maximum functionality with the highest level of comfort.

The Balder Finesse can also be ordered with a standing function option.

Fact

Seat width	15.7–18.9 in / 400–480 mm
Seat depth	15.7–20.7 in / 400–525 mm
Lowest seat heigth	15.0 in / 380 mm
Highest seat height	32.3 in / 820 mm
Maximum seat angle forward	15°
Maximum seat angle back	45°
Back adjustment	0°–90°
Leg support angle	85°–180°
Total width	25.2 in / 640 mm
Length including extended foot plates	34.8 in / 883 mm
Wheelbase	24.2 in / 615 mm
Height under chassis	2.7 in / 70 mm
Maximum driving distance	30 mi / 50 km
Max speed	4.3 mph / 7 km/h
Maximum obstacle clearance	3.1 in / 80 mm
Turning area	51.2 in / 1300 mm
Front wheel dimensions	3 x 8"
Rear wheel dimension	2.50 x 3"
Battery	2 x12V 44 Ah
Weight	approx. 290 lb / 130 kg
Maximum service weight	267 lb / 120 kg
Maximum user weight, standing function	220 lb / 100 kg

Easy car adaption

The low seat height eliminates the need to lower the floor in a car adaptation.

Lean back

The tilt can be set from –15° to +45°. It feels good to change position, and take the pressure off of the back and neck.

Relax

The back of the chair can be adjusted back 90°. Users can then stretch their joints, and at the same time, relieve the load on their whole body.

Reach a little higher

Seat height adjustment gives the user freedom of movement, and provides the service personnel with plenty of room to work.

Balder Finesse with standup function

Being able to stand increases a user's freedom and flexibility. In addition to the social aspects, being able to stretch joints and muscles contributes to better health. Standing also improves breathing, blood circulation and digestion.

The Balder Finesse with standing function option has all the adjustability of the basic model, and also enables the user to drive while standing.

Options and accessories

Balder power wheelchairs have a wide range of options and accessories. This means that these wheelchairs can be adapted to the many needs and preferences of an individual without the need for complicated conversions or alterations.



The car lock is flexible, safe and easily installed. Docking with one simple click.

The car lock can also be attached to the passenger seat.

The Dolphin Joystick means simple and effortless steering.

See pages 16–22 for a complete list of our options and accessories.

Balder Junior

A little power wheelchair that expands your child's horizons

The Balder Junior has functions that allow a child to have many exciting experiences.



- Seat height adjustment range: 15–32 in / 38–82 cm
- Easy to maneuver
- Lift and tilt functions with variable settings
- Simple car-docking system
- Adjustable with several seat and back cushions

Seat lift provides maximum range of movement

The Balder Junior is a front-wheel driven power wheelchair for children. It allows a child to accompany their friends on exciting adventures, both indoors and outdoors.

The unique seat lift helps a child reach high and sit low. Back adjustment and tilt settings can provide a relaxing rest after a long day at play. At the same time, the module system means that each electric wheelchair can be perfectly adapted to the needs of each child.

The Balder Junior has the same chassis as the Balder Finesse. The difference between the models is the seat unit. The Junior wheelchair is also available with the standing function option.

Fact

Seat width	11.8–13.8 in / 300–350 mm
Seat depth	13.8–15.7 mm / 350–400 mm
Lowest seat heigth	15.0 in / 380 mm
Highest seat height	32.3 in / 820 mm
Maximum seat angle forward	15°
Maximum seat angle back	45°
Back adjustment	0°–90°
Leg support angle	85°–180°
Total width	25.2 in / 640 mm
Length including extended foot plates	34.8 in / 883 mm
Wheelbase	24.2 in / 615 mm
Height under chassis	2.7 in / 70 mm
Maximum driving distance	30 mi / 50 km
Maximum speed	4.3 mph / 7 km/h
Maximum obstacle clearance	3.1 in / 80 mm
Turning area	51.2 in / 1300 mm
Front wheel dimensions	3 x 8"
Rear wheel dimension	2.50 x 3"
Battery	2 x12V 44 Ah
Weight	approx. 290 lb / 130 kg
Maximum service weight	267 lb / 120 kg
Maximum user weight, standing function	220 lb / 100 kg

The seat can be lowered all the way down to 15.0 in / 38 cm.

Change position

From sitting to reclining. The seat tilt and back adjustment together provide unlimited ways to change position.

Reach a little higher

Seat height adjustment gives the user freedom of movement, and provides the service personnel with plenty of room to work.

Balder Junior with standup function

Being able to stand provides self-confidence, while giving the child a chance to stretch joints and muscles. Freedom of movement also gives children the confidence to explore their surroundings, which is important for every child.

The Balder Junior with standing function option has the same adaptability to individual users as the basic model. The child can stand while driving the wheelchair. The Balder Junior is a complete power wheelchair, made especially for children.

Options and accessories

Balder power wheelchairs have a wide range of options and accessories. This means that these wheelchairs can be adapted to the many needs and preferences of an individual without the need for any complicated conversions or alterations.



The car lock is flexible, safe and easily installed. Docking with one simple click.

The armrest bag is small and compact. It can be sealed with a Velcro band.

The Dolphin Joystick means simple and effortless steering.

See pages 16 –22 for a complete list of our options and accessories.

Balder Liberty

A power wheelchair for rugged outdoor use

- Seat height adjustment range: 15–33 in / 39–83 cm
- Rear-wheel drive with excellent handling
- Flexible solutions
- Lift and tilt functions with variable settings
- Adapted for car use
- Adjustable with several seat and back cushions

A rear-wheel driven power wheelchair with unique functions

The Balder Liberty is a rear-wheel driven power wheelchair built for rugged outdoor use, but flexible and easy to maneuver indoors.

The ability to clear obstacles facilitates accessibility. The unique seat lift lets users reach high while also allowing them to slide their legs under the table. In essence, the functions are optimized for maximum accessibility and comfort, whatever the surroundings.

The Balder Liberty is composed of a modular system that can be perfectly adapted to a user's needs.

Fact

Seat width	15.7–18.9 in / 400–480 mm
Seat depth	15.7–20.7 in / 400–525 mm
Lowest seat height	15.5 in / 395 mm
Highest seat height	32.9 in / 835 mm
Maximum seat angle forward	15°
Maximum seat angle back	45°
Back adjustment	0°–90°
Leg support angle	85°–180°
Total width	25.6 in / 650 mm
Length including extended foot plates	35.4 in / 900 mm
Wheelbase	20.5 in / 520 mm
Height under chassis	3.3 in / 85 mm
Maximum driving distance	30 mi / 50 km
Maximum speed	5.0 mph / 8 km/h
Maximum obstacle clearance	3.93 in / 100 mm
Turning area	51.2 in / 1300 mm
Front wheel dimensions	280/250 x 3"
Rear wheel dimension	2.50 x 3"
Battery	2 x12V 44 Ah
Weight	approx. 280 lb / 126 kg
Maximum service weight	267 lb / 120 kg

Just as the Finesse and the Junior, the Balder Liberty allows you to slide your legs under the table.

Lean back

The tilt can be set from -15° to +45°. It feels good to change position, and take the pressure off of the back and neck.

Reach a little higher

Seat height adjustment gives the user freedom of movement, and provides the service personnel with plenty of room to work.

The Balder Liberty gives users maximum freedom

With the Balder Liberty, the user doesn't have to compromise on comfort and functionality. This model combines rear-wheel drive with unique adjustment settings.

The seat lift extends from 15 in / 39 cm all the way up to 33 in / 83 cm. To rest, just lean back. The back adjustment combines with the tilt to use allow the user to lie horizontally. The ability to clear obstacles of up to 4 inches makes it eay to get over high curbs.

Options and accessories

Balder power wheelchairs has a wide range of options and accessories. This allows these wheelchairs to be adapted to the many needs and preferences of individuals without any complicated conversions or alterations.



The car lock is flexible, safe and easily installed. Docking in a single click.

The armrest bag is small and compact. It can be sealed with a Velcro band.

The Dolphin Joystick means simple and effortless steering.

See pages 16 –22 for a complete list of our options and accessories.

Options

Wheels

Wheels, puncture-proof
F/J, set of 3-8 **HP4626**
F/J, set of 2.50-3 **HP000087**

Wheels, pneumatic
F/J, set of 3-8 **HP4627**
F/J, – set of 2.50-3 **HP000631**

Seat function

Tilt, electric –15° to +45°
F/L/J **HP1227000**

Standing function option set.
F/L/J **HP1227050**

Back, manual
F/L **HP1226050**

Back, electric
F/L **HP1226060**

Attendant control

Balder F/L/J control unit for attendant control ACU1
HP1221115

Balder F/L/J control unit for attendant control ACU3 with DX-ARC5
HP1221116

Attendant control with wrist support, control box not included
F/L/J **HP1221112**

Attendant control 2, not including control box
F/L/J **HP1221113**

Attendant control with emergency brake, control box not included
F/L/J **HP1221114**

Hand control, separate, including all functions
F/L/J **HP1220428**

Special steering

Blow/suck control, basic package
F/L/J **HP1229132**

Menu steering with environment control, basic package
F/L/J **HP1229133**

Foot control, basic package
F/L/J **HP1229136**

Large button control table, basic package (the waffle)
F/L/J **HP1229137**

Small button armrest control, basic package
F/L/J **HP1229138**

Chin control, basic package
F/L/J **HP1229134**

Neck control, 3-way switch, basic package
F/L/J **HP1229135**

Flat seat

Flat seat – dimensions max 450x520 mm height 15 mm
F/L **HP1226045**

Neck support

Neck support, seat unit
F/L, Comfort 1–3 **HP1228011**
F/L, Comfort 4–6 **HP1228010**
J, Blue **HP1262040**
J, Red **HP1262025**
Customized adaptations can be made. See testing protocol.

Seat unit

Seat unit seat and back with sliding function, set
F/L/J **HP1226070**

Options, contd.

Comfort back

(See page 19 for dimensions of the back cushions.)

Back chassis

F/L, Comfort 1	**HP1223036**
F/L, Comfort 2	**HP1224036**
F/L, Comfort 3	**HP1225036**
F/L, Comfort 4	**HP1226090**
F/L, Comfort 5	**HP1227036**
F/L, Comfort 6	**HP1228036**
J	**HP1262002**

Seat unit seat and back with sliding function, set

F/L, Comfort 1	**HP1223043**
F/L, Comfort 2	**HP1224043**
F/L, Comfort 3	**HP1225043**
F/L, Comfort 4	**HP1226092**
F/L, Comfort 5	**HP1227043**
F/L, Comfort 6	**HP1228043**

Back cushion

F/L, Comfort 1	**HP1223032**
F/L, Comfort 2	**HP1224032**
F/L, Comfort 3	**HP1225032**
F/L, Comfort 4	**HP1226032**
F/L, Comfort 5	**HP1227032**
F/L, Comfort 6	**HP1228032**
J, 14x16, blue	**HP1263044**
J, 14x16, red	**HP1263024**
J, 14x17, blue	**HP1263544**
J, 14x17, red	**HP1263524**

Back cushion with large side supports

F/L, Comfort 1	**HP1223041**
F/L, Comfort 2	**HP1224041**
F/L, Comfort 3	**HP1225041**
F/L, Comfort 4	**HP1229128**
F/L, Comfort 5	**HP1227041**
F/L, Comfort 6	**HP1228041**

Back cushion with lumbar support, air

F/L, Comfort 1	**HP1223037**
F/L, Comfort 2	**HP1224037**
F/L, Comfort 3	**HP1225037**
F/L, Comfort 4	**HP1226093**
F/L, Comfort 5	**HP1227037**
F/L, Comfort 6	**HP1228037**

Customized adaptations can be made. See testing protocol.

Comfort seat

((See page 19 for dimensions of the back cushions.)

Seat chassis

F/L, Comfort 1	**HP1224035**
F/L, Comfort 2	**HP1223035**
F/L, Comfort 3	**HP1225035**
F/L, Comfort 4	**HP1226091**
F/L, Comfort 5	**HP1227035**
F/L, Comfort 6	**HP1228035**
J	**HP1262001**

Seat cushion

F/L, Comfort 1	**HP1223031**
F/L, Comfort 2	**HP1224031**
F/L, Comfort 3	**HP1225031**
F/L, Comfort 4	**HP1226031**
F/L, Comfort 5	**HP1227031**
F/L, Comfort 6	**HP1228031**
J, 12x14, blue	**HP1263042**
J, 12x14, red	**HP1263022**
J, 14x16, blue	**HP1263542**
J, 14x16, red	**HP1263522**

Seat and back unit with sliding function, set

F/L, Comfort 1	**HP1223042**
F/L, Comfort 2	**HP1224042**
F/L, Comfort 3	**HP1225042**
F/L, Comfort 4	**HP1227032**
F/L, Comfort 5	**HP1227042**
F/L, Comfort 6	**HP1228042**

Seat cushion with additional decompression

F/L, Comfort 1	**HP1223038**
F/L, Comfort 2	**HP1224038**
F/L, Comfort 3	**HP1225038**
F/L, Comfort 4	**HP1226044**
F/L, Comfort 5	**HP1227038**
F/L, Comfort 6	**HP1228038**

Seat cushion with decompression and large side supports

F/L, Comfort 1	**HP1223044**
F/L, Comfort 2	**HP1224044**
F/L, Comfort 3	**HP1225044**
F/L, Comfort 4	**HP1226094**
F/L, Comfort 5	**HP1227044**
F/L, Comfort 6	**HP1228044**



Customized adaptations can be made. See testing protocol.

Options, contd.

Incontinence cover

Incontinence cover

F/L, Comfort 1	**HP1223039**
F/L, Comfort 2	**HP1224039**
F/L, Comfort 3	**HP1225039**
F/L, Comfort 4	**HP1226095**
F/L, Comfort 5	**HP1227039**
F/L, Comfort 6	**HP1228039**
J, 12x14, blue	**HP1263045**
J, 12x14, red	**HP1262029**
J, 14x16, blue	**HP1263045**
J, 14x16, red	**HP1263030**

Incontinence cover cushions with large side supports

F/L, Comfort 1	**HP1223040**
F/L, Comfort 2	**HP1224040**
F/L, Comfort 3	**HP1225040**
F/L, Comfort 4	**HP1226096**
F/L, Comfort 5	**HP1227040**
F/L, Comfort 6	**HP1228040**

Incontinence cover cushions with decompression and/or large side supports

F/L, Comfort 1	**HP1223045**
F/L, Comfort 2	**HP1224045**
F/L, Comfort 3	**HP1225045**
F/L, Comfort 4	**HP1226097**
F/L, Comfort 5	**HP1227045**
F/L, Comfort 6	**HP1228045**

Armrest

Armrest, flip-up height-adjustable

F/L, Comfort 1–2, right	**HP1220290**
F/L, Comfort 1–2, left	**HP1220291**
F/L, Comfort 3–4, right	**HP1220292**
F/L, Comfort 3–4, left	**HP1220293**
F/L, Comfort 5–6, right	**HP1220294**
F/L, Comfort 5–6, left	**HP1220295**
J, right	**HP1260272**
J, left	**HP1260273**

Armrest, flip-up height-adjustable

F/L, Comfort 1–2, right	**HP1220274**
F/L, Comfort 1–2, left	**HP1220275**
F/L, Comfort 3–4, right	**HP1220270**
F/L, Comfort 3–4, left	**HP1220271**
F/L, Comfort 5–6, right	**HP1220276**
F/L, Comfort 5–6, left	**HP1220277**



Customized adaptations can be made.
See testing protocol.

Leg support

Leg support, manual side pivoting, removeable

F/L, right	**HP1226100**
F/L. left	**HP1226101**
J, right	**HP1266100**
J. left	**HP1266101**

Leg support, electric, separate with tilt function, split foot plate

F/L, right/left	**HP1226104**

Customized adaptations can be made.
See testing protocol.

Foot plate, whole

F/L	**HP1226103**
J	**HP1266103**

Foot plate, whole for foot support, manually side pivoting

F/L	**HP1226119**
F/L	**HP1266104**

Support wheel, leg support, electric

F/L/J	**HP1226105**

Leg support with electric tilt, electric length compensation, split footplate

F/L, Bar 100 mm	**HP1226111**
F/L, Bar 5.90 in	**HP1226102**
F/L, Bar 7.87 in	**HP1226112**
J	**HP1266109**

Measurements: Comfort back and seat cushions

Comfort back	Comfort 1	Comfort 2	Comfort 3	Comfort 4	Comfort 5	Comfort 6
Back cushion	HP1223032	HP1224032	HP1225032	HP1226032	HP1227032	HP1228032
Back cushion with large side	HP1223041	HP1224041	HP1225041	HP1229128	HP1227041	HP1228041
Back cushion with lumbar support	HP1224037	HP1224037	HP1225037	HP1226093	HP1227037	HP1228037
P	11.0 in	11.4 in	12.0 in	13.0 in	13.8 in	14.6 in
Q	6.3 in	6.7 in	7.3 in	8.3 in	9.1 in	9.8 in
R	15.7 in	15.7 in	16.5 in	17.3 in	18.1 in	18.9 in
S	10.6 in	10.6 in	11.4 in	12.2 in	13.0 in	13.8 in
T	2.0 in	2.0 in	2.0 in	2.0 in	2.0 in	2.0 in
U	4.3 in	4.3 in	4.3 in	4.3 in	4.3 in	4.3 in
Total height P+Q	17.3 in	18.1 in	19.3 in	21.3 in	22.8 in	24.4 in





Standard side support



Large side support

Comfort seat	Comfort 1	Comfort 2	Comfort 3	Comfort 4	Comfort 5	Comfort 6
Seat cushion	HP1223031	HP1224031	HP1225031	HP1226031	HP1227031	HP1228031
Seat cushion w large side support	HP1223042	HP1224042	HP1225042	HP1227032	HP1227042	HP1228042
Seat custion w extra decompr.	HP1223038	HP1224038	HP1225038	HP1226044	HP1227038	HP1228038
Seat cushion with decompression and large side support	HP1223044	HP1224044	HP1225044	HP1226094	HP1227044	HP1228044
Effective seat depth	15.7 in	16.7 in	17.7 in	18.7 in	19.7 in	20.7 in
W	16.7 in	17.7 in	18.7 in	19.7 in	20.7 in	21.3 in
X	15.7 in	15.7 in	16.5 in	17.3 in	18.1 in	18.9 in
Z	0.8 in	0.8 in	0.8 in	0.8 in	0.8 in	0.8 in
Y	2.8 in	2.8 in	2.8 in	2.8 in	2.8 in	2.8 in





Standard side support



Large side support

Accessories

Car lock

Transport bracket, integrated, including floor bracket car
F/L/J **HP1228999**



Transport bracket, integrated, not including floor bracket car
F/L/J **HP1228997**

Car floor bracket for transport bracket
F/L/J **HP1228998**

Transport bracket including floor bracket car (EZ-Lock)
F/L/J **HP1229000**

Chassis frame car seat, manual, not including floor bracket car
F/L/J **HP1228994**

Lighting

Lighting front/rear
F/L/J **HP1229103**

Indicators + lighting front/rear
F/L/J **HP1229130**

Lighting front/back for ACU3 control box
F/L/J **HP1220020**

Table

Table, flip-up, right
F/L, Comfort 1–2 **HP1229147**
F/L, Comfort 3–4 **HP1229148**
F/L, Comfort 5–6 **HP1229149**

Table, flip-up left
F/L, Comfort 1–2 **HP1229150**
F/L, Comfort 3–4 **HP1229151**
F/L, Comfort 5–6 **HP1229152**

Table, small flip-up
F/L, right **HP1229145**
F/L, left **HP1229146**
J, right **HP1269125**
J, left **HP1269126**

Crutch holder

For attachment to basket
F/L **HP1229114**

With strap for attachment under armrest
F/L/J **HP1229120**

For attachment under armrest
F/L **HP1229112**

For attachment under armrest, set of 2
F/L **HP1229126**

Basket and bags

Frame for attachment of backpack or bag
F/L **HP1229102**
J **HP1269102**

Bag with zipper
F/L/J **HP1229106**

Backpack 16 x 16 x 3 in
F/tL **HP1229118**

Backpack with Balder logo, black
F/L **HP9435**
J **HP9955**

Arm support bag
F/L/J **HP1229100**

Basket removable for back
F/L **HP1229113**

Belts and brackets

Lock, Fix Lock
F/L **HP1229107**

Lock, Safelock
F/L **HP1229108**

Lock, carlock
F/L **HP1229109**

Accessories, contd.

Belts and brackets, contd.

Belt, 4-point plastic chassis
F/L **HP1229153**
J **HP1269101**

Belt, 4-point aluminum chassis
F/L **HP1229154**

Chest belt, plastic chassis
F/L **HP1227025**
J **HP1267016**

Chest belt, aluminium chassis
F/L **HP1227026**

Hip belt with mini-roller set, plastic chassis
F/L **HP1229142**
J **HP1269117**

Hip belt with mini-roller set, aluminum chassis
F/L **HP1229143**

Hip belt with car lock set
F/L **HP1229158**
J **HP1269115**

Hip belt with car lock set, flat seat
F/L **HP1229159**

Hip abduction cushion set, incl. attachment plates
F/L, Comfort 1–2 **HP1227023**
F/L, Comfort 3–6 **HP1227024**
J **HP1267013**

Hip abduction cushion with car lock, incl. attachment plates
F/L, Comfort 1–2 **HP1227028**
F/L, Comfort 3–6 **HP1227029**
J **HP1267018**

Support cushions

Hip abduction block, removable height adjustable
F/L/J **HP1227021**

Hip abduction block, removable, Velcro
F/L/J **HP1227022**

Support cushion, contd.

Side support, back, pair
F/L, Comfort 1–3 **HP1227019**
F/L, Comfort 4–6 **HP1227020**
J, 2.4x 4.3 in red **HP1262026**
J, 2.4x 4.3 in blue **HP1262041**

Side support, pair
F/L **HP1226106**

Side support, pair
J, 2.4 x 4.3 in red **HP1262027**
J, 2.4 x 4.3 in blue **HP1262043**
J, 2.4 x 7.9 in red **HP1262028**
J, 2.4 x 7.9 in blue **HP1262044**

Miscellaneous accessories

Main circuit breaker
F/L/J **HP1229122**

Joystick handle
F/L/J, Stick **HP9296**
F/L/J, Golf ball **HP9362**
F/L/J, U-grip **HP3764**
F/L/J, T-grip **HP8644**
F/L/J, Foam rubber ball **HP1254**
F/L/J, Carrot knob **HP4724**

Emergency shutdown switch
F/L/J **HP1229123**

Operating time meter
F/L/J **HP1229140**

Mirror, rotating and collapsible, for attachment on armrest
F/L/J, right **HP1229156**
F/L/J, left **HP1229157**

Tarpulin
F/L/J **HP1229131**

A Balder Chronology

Balder power wheelchairs are manufactured by Hand-Pro AS of Norway. Since 1981, the company has become the market leader in its homeland in both car adaptation and the development and production of power wheelchairs.

1981 Handpro starts adapting cars for people with disabilities.

1989 During work with adapting cars, the company notices a need for a low power wheelchair. This would have to be easy to place in a car, and also function as a driver's seat. This led to the development of a rear-wheel driven power wheelchair with a seat lift, which revolutionized the market.

1998 The Balder Finesse is introduced. A front-wheel driven power wheelchair with a unique seat lift and tilt.

2001 The Balder Liberty is introduced. A power wheelchair with the same functions as the Balder Finesse, but adapted for an active life outdoors.

2003 The Balder Junior is introduced. It has the same flexible solutions as the Balder Finesse power wheelchairs, but with unique functions for children.

2003 The Balder Finesse with standing function option is introduced to the market.

2004 Hand-Pro becomes a part of the Etac group.

2005 The Balder Junior with standup function is introduced.

A total of 600 – 700 power wheelchairs per year are currently manufactured in Hönefoss, outside of Oslo.

Comments about Balder power wheelchairs

"Now I can reach the books on all the shelves in my school library."

Lise, 9 years old

"The Balder Finesse lets me slide under 95% of all dinner tables – wonderful!"

Marte, 25 years old

"Balder car brackets on both sides of our car allow my husband and me to take turns driving on long trips."

Maria, 56 years old

BALDER

0603

Etac Sverige AB
P.O. BOX 203, SE-334 24 Anderstorp, Sweden
TELEPHONE CUSTOMER SERVICE +46 371 58 73 30 FAX CUSTOMER SERVICE +46 371 58 73 90
E-MAIL info@etac.se WEBSITE www.etac.com